

## Author index

- Åman, P. 177  
Andersen, S.M. 155  
Andersson, R. 177  
Ariga, H. 41  
Asokan, K. 213
- Bellini, B. 95  
Bhar, D. 221  
Boros, S. 23  
Bozó, É. 23  
Bubb, W.A. 41  
Bundschuh, R.M. 111
- Carlson, R.W. 213  
Chandrasekaran, S. 221  
Chen, H. 167  
Cheng, L. 205  
Cherniak, R. 33  
Chhabra, R. 167  
Cotta, M.A. 193
- Desruet, M.-D. 225  
Dreisbusch, C.M. 111
- Earle, M.A. 1  
Ebner, M. 155  
Ekhart, C.W. 155  
El Nemr, A. 77  
Eriksson, I. 177
- Ferreira, F. 193  
Fujiwara, R. 41
- Goldberg, R.N. 11  
Gou, D. 69  
Gradnig, G. 155  
Groman, E.V. 69, 89  
Guard-Petter, J. 213  
Gulyas, G. 89
- Harigaya, Y. 123  
Haseley, S. 187  
Heidelberg, T. 145  
Hultin, P.G. 1
- Ikeda, S. 51
- Jiménez-Barbero, J. 5
- Kaji, E. 123  
Kenne, L. 193  
Kindel, P.K. 205  
Knirel, Y.A. 61
- Konda, Y. 123  
Kumagai, H. 51  
Kuszmán, J. 23
- Lederer, M.O. 111  
Legler, G. 155  
Li, H. 1  
Lundt, I. 155
- Manku, S. 1  
Mayer, H. 61  
Miglierini, G. 95  
Morin, C. 225
- Nakamura, K. 51
- Ogier, L. 225  
Orsini, F. 95
- Palčić, M.M. 1  
Pelizzoni, F. 95  
Penadés, S. 5  
Poveda, A. 5  
Prescott, J.H. 89
- Rahman, M.M. 213
- Sato, M. 11  
Schwarzmüller, E. 61  
Senchenkova, S.N. 61  
Shashkov, A.S. 61  
Sheng, S. 33  
Shinnai, T. 41  
Stack, R.J. 193  
Stütz, A.E. 155
- Takeda, K. 123  
Tewari, Y.B. 11  
Thiem, J. 145  
Toida, T. 123  
Tsuchiya, T. 77
- Urashima, T. 41
- Vicent, C. 5
- Wilkinson, S.G. 187  
Witczak, Z.J. 167  
Withers, S.G. 155  
Wrodnigg, T. 155
- Xie, X.-Q. 167

11-11-11  
11-11-11  
11-11-11

11-11-11

11-11-11

11-11-11

7



ELSEVIER

Carbohydrate Research 301 (1997) III–V

CARBOHYDRATE  
RESEARCH

## Subject index

- Absolute configuration**  
First total synthesis of two new diglycosides, neohancosides A and B, from *Cynanchum hancockianum* 123
- Acinetobacter baumannii***  
Structure of the O18 antigen from *Acinetobacter baumannii* 187
- Alginate**  
Dielectric analysis of food polysaccharides in aqueous solution 51
- L-Altrose**  
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain CF3 193
- Amadori compound**  
Amadori products from model reactions of D-glucose with phosphatidyl ethanolamine — Independent synthesis and identification of 1-deoxy-1-(2-hydroxyethylamino)-D-fructose derivatives 111
- Amino acid ester isocyanate**  
Synthesis of novel amino acid glycoside conjugates 145
- Amino acid glycoconjugates**  
Synthesis of novel amino acid glycoside conjugates 145
- 1,6-Anhydro-3,4-dideoxy- $\alpha$ -D-glycero-hex-3-enopyranos-2-ulose**  
Thiosugars II. A novel approach to thiodisaccharides. The synthesis of 3-deoxy-4-thiocellobiose from levoglucosenone 167
- Antigen**  
Structure of the  $^{13}\text{C}$ -enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- O-Antigen**  
Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizonae* O50 (Arizona 9a,9b) 61
- Arabinogalactan**  
Development of an immunoassay for larch arabinogalactan and its use in the detection of larch arabinogalactan in rat blood 69  
New molecular weight forms of arabinogalactan from *Larix occidentalis* 89
- 2-Azido-2-deoxy-5-thio-D-xylose**  
Synthesis of 4-cyanophenyl 2-azido-2-deoxy- and 3-azido-3-deoxy-1,5-dithio- $\beta$ -D-xylopyranosides 23
- 3-Azido-3-deoxy-5-thio-D-xylose**  
Synthesis of 4-cyanophenyl 2-azido-2-deoxy- and 3-azido-3-deoxy-1,5-dithio- $\beta$ -D-xylopyranosides 23
- Azidonitration reaction**  
Synthesis of 4-cyanophenyl 2-azido-2-deoxy- and 3-azido-3-deoxy-1,5-dithio- $\beta$ -D-xylopyranosides 23
- Bacterial polysaccharide**  
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain CF3 193
- Bacterial polysaccharide, structure**  
Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizonae* O50 (Arizona 9a,9b) 61
- Butyllithium**  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77
- Butyrivibrio fibrisolvens***  
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain CF3 193
- Carbene**  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77
- (1-Carboxyethyl)-galactose**  
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain CF3 193
- (1-Carboxyethyl)-glucose**  
Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain CF3 193
- $\kappa$ -Carrageenan**  
Dielectric analysis of food polysaccharides in aqueous solution 51
- Cell walls**  
Detection and homogeneity of cell wall pectic polysaccharides of *Lemna minor* 205
- $^{13}\text{C}$  Labeling, Structure**  
Structure of the  $^{13}\text{C}$ -enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- $^{13}\text{C}$  NMR edited ROESY**  
NMR experiments for the detection of NOEs and scalar coupling constants between equivalent protons in trehalose-containing molecules 5
- Combretastatin glucosides**  
Synthesis of biologically active polyphenolic glycosides (combretastatin and resveratrol series) 95
- Correlation length**  
Dielectric analysis of food polysaccharides in aqueous solution 51
- Counterion fluctuation**  
Dielectric analysis of food polysaccharides in aqueous solution 51
- $\alpha$ -,  $\beta$ -, and  $\gamma$ -Cyclodextrin**  
Thermodynamics of the hydrolysis and cyclization reactions of  $\alpha$ -,  $\beta$ -, and  $\gamma$ -cyclodextrin 11
- Cyclomaltodextrin glucanotransferase**  
Thermodynamics of the hydrolysis and cyclization reactions of  $\alpha$ -,  $\beta$ -, and  $\gamma$ -cyclodextrin 11
- Deoxyfluoro sugars**  
Two isosteric fluorinated derivatives of the powerful glucosidase inhibitors, 1-deoxynojirimycin and 2,5-dideoxy-2,5-imino-D-mannitol: Syntheses and glycosidase-inhibitory activities of 1,2,5-trideoxy-2-fluoro-1,5-imino-D-glucitol and of 1,2,5-trideoxy-1-fluoro-2,5-imino-D-mannitol 155
- 1-Deoxy-1-(2-hydroxyethylamino)-D-fructose derivatives**  
Amadori products from model reactions of D-glucose with phosphatidyl ethanolamine — Independent synthesis and identification of 1-deoxy-1-(2-hydroxyethylamino)-D-fructose derivatives 111
- 3-Deoxythiocellobiose**  
Thiosugars II. A novel approach to thiodisaccharides. The synthesis of 3-deoxy-4-thiocellobiose from levoglucosenone 167
- Deuterated compound**  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77
- Deuterium isotope effect**  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77



- 3,6-Dideoxy-L-xylo-hexose (colitose)  
Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizonae* O50 (Arizona 9a,9b) 61
- Dielectric relaxation  
Dielectric analysis of food polysaccharides in aqueous solution 51
- 2D NMR spectroscopy  
Structure of the  $^{13}\text{C}$ -enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- $\alpha$ -Elimination  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77
- Enterobacteria  
Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizonae* O50 (Arizona 9a,9b) 61
- Enthalpies of reaction  
Thermodynamics of the hydrolysis and cyclization reactions of  $\alpha$ -,  $\beta$ -, and  $\gamma$ -cyclodextrin 11
- Equilibrium constants  
Thermodynamics of the hydrolysis and cyclization reactions of  $\alpha$ -,  $\beta$ -, and  $\gamma$ -cyclodextrin 11
- Exopolysaccharide structure  
Structural characterisation of the exocellular polysaccharide produced by *Streptococcus thermophilus* OR 901 41
- Ganglioside analogue  
Chemoenzymatic synthesis of a trimeric ganglioside GM<sub>3</sub> analogue 1
- Gel filtration  
New molecular weight forms of arabinogalactan from *Larix occidentalis* 89
- GHMBC  
Structure of the  $^{13}\text{C}$ -enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- D-Glucose acetals  
Synthesis of iodobenzylidene and iodoethylidene acetals of D-glucose 225
- Glucose isomerase  
Two isosteric fluorinated derivatives of the powerful glucosidase inhibitors, 1-deoxynojirimycin and 2,5-dideoxy-2,5-imino-D-mannitol: Syntheses and glycosidase-inhibitory activities of 1,2,5-trideoxy-2-fluoro-1,5-imino-D-glucitol and of 1,2,5-trideoxy-1-fluoro-2,5-imino-D-mannitol 155
- Glucosidase inhibitors  
Two isosteric fluorinated derivatives of the powerful glucosidase inhibitors, 1-deoxynojirimycin and 2,5-dideoxy-2,5-imino-D-mannitol: Syntheses and glycosidase-inhibitory activities of 1,2,5-trideoxy-2-fluoro-1,5-imino-D-glucitol and of 1,2,5-trideoxy-1-fluoro-2,5-imino-D-mannitol 155
- GluT  
Synthesis of iodobenzylidene and iodoethylidene acetals of D-glucose 225
- Glycosidation reactions  
Synthesis of 4-cyanophenyl 2-azido-2-deoxy- and 3-azido-3-deoxy-1,5-dithio- $\beta$ -D-xylopyranosides 23
- Haloacetals  
Synthesis of iodobenzylidene and iodoethylidene acetals of D-glucose 225
- HCCH-COSY  
Structure of the  $^{13}\text{C}$ -enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- HCCH-TOCSY  
Structure of the  $^{13}\text{C}$ -enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- Homogeneity  
Detection and homogeneity of cell wall pectic polysaccharides of *Lemna minor* 205
- HSQC  
Structure of the  $^{13}\text{C}$ -enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- 8-Hydroxylinalool  
First total synthesis of two new diglycosides, neohancosides A and B, from *Cynanchum hancockianum* 123
- Immunoassay  
Development of an immunoassay for larch arabinogalactan and its use in the detection of larch arabinogalactan in rat blood 69  
New molecular weight forms of arabinogalactan from *Larix occidentalis* 89
- Inhibitory activity  
Two isosteric fluorinated derivatives of the powerful glucosidase inhibitors, 1-deoxynojirimycin and 2,5-dideoxy-2,5-imino-D-mannitol: Syntheses and glycosidase-inhibitory activities of 1,2,5-trideoxy-2-fluoro-1,5-imino-D-glucitol and of 1,2,5-trideoxy-1-fluoro-2,5-imino-D-mannitol 155
- Iodine labelling  
Synthesis of iodobenzylidene and iodoethylidene acetals of D-glucose 225
- Lactic acid bacteria  
Structural characterisation of the exocellular polysaccharide produced by *Streptococcus thermophilus* OR 901 41
- Lemnaceae  
Detection and homogeneity of cell wall pectic polysaccharides of *Lemna minor* 205
- Lemna minor*  
Detection and homogeneity of cell wall pectic polysaccharides of *Lemna minor* 205
- Levogluconenone  
Thiosugars II. A novel approach to thiodisaccharides. The synthesis of 3-deoxy-4-thiocellobiose from levogluconenone 167
- Light scattering  
New molecular weight forms of arabinogalactan from *Larix occidentalis* 89
- Linalool  
First total synthesis of two new diglycosides, neohancosides A and B, from *Cynanchum hancockianum* 123
- Lipopolysaccharide  
Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizonae* O50 (Arizona 9a,9b) 61  
Structure of the O18 antigen from *Acinetobacter baumannii* 187
- Long range heteronuclear coupling constants  
NMR experiments for the detection of NOEs and scalar coupling constants between equivalent protons in trehalose-containing molecules 5
- Maillard reaction  
Amadori products from model reactions of D-glucose with phosphatidyl ethanolamine — Independent synthesis and identification of 1-deoxy-1-(2-hydroxyethylamino)-D-fructose derivatives 111
- Melanoma antigen  
Chemoenzymatic synthesis of a trimeric ganglioside GM<sub>3</sub> analogue 1
- Methylthium  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77
- Michael additions  
Thiosugars II. A novel approach to thiodisaccharides. The synthesis of 3-deoxy-4-thiocellobiose from levogluconenone 167
- Molecular weight  
New molecular weight forms of arabinogalactan from *Larix occidentalis* 89

- Multivalent  
Chemoenzymatic synthesis of a trimeric ganglioside GM<sub>3</sub> analogue 1
- NMR data  
Structural characterisation of the exocellular polysaccharide produced by *Streptococcus thermophilus* OR 901 41
- Non-anomeric  
Synthesis of novel amino acid glycoside conjugates 145
- O18 Antigen, structure  
Structure of the O18 antigen from *Acinetobacter baumannii* 187
- Oral antithrombotic activity  
Synthesis of 4-cyanophenyl 2-azido-2-deoxy- and 3-azido-3-deoxy-1,5-dithio- $\beta$ -D-xylopyranosides 23
- Pectic polysaccharides  
Detection and homogeneity of cell wall pectic polysaccharides of *Lemna minor* 205
- Pectic substances  
Extraction of pectic substances from dehulled rapeseed 177
- Pharmacokinetics  
Development of an immunoassay for larch arabinogalactan and its use in the detection of larch arabinogalactan in rat blood 69
- Phosphatidyl ethanolamine  
Amadori products from model reactions of D-glucose with phosphatidyl ethanolamine — Independent synthesis and identification of 1-deoxy-1-(2-hydroxyethylamino)-D-fructose derivatives 111
- Piceid  
Synthesis of biologically active polyphenolic glycosides (combretastatin and resveratrol series) 95
- Polyphenolic glucosides  
Synthesis of biologically active polyphenolic glycosides (combretastatin and resveratrol series) 95
- Polysaccharide  
Structure of the <sup>13</sup>C-enriched O-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy 33
- Proton 1,2-shift  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77
- Rapeseed  
Extraction of pectic substances from dehulled rapeseed 177
- Resveratrol 3- $\beta$ -D-glucoside  
Synthesis of biologically active polyphenolic glycosides (combretastatin and resveratrol series) 95
- Salmonella enterica* ssp. *arizonae*  
Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizonae* O50 (Arizona 9a,9b) 61
- Scaling law  
Dielectric analysis of food polysaccharides in aqueous solution 51
- Selective pulses  
NMR experiments for the detection of NOEs and scalar coupling constants between equivalent protons in trehalose-containing molecules 5
- $\alpha$ -(2  $\rightarrow$  3)-Sialyltransferase  
Chemoenzymatic synthesis of a trimeric ganglioside GM<sub>3</sub> analogue 1
- SPECT  
Synthesis of iodobenzylidene and iodoethylidene acetals of D-glucose 225
- Streptococcus thermophilus*  
Structural characterisation of the exocellular polysaccharide produced by *Streptococcus thermophilus* OR 901 41
- Succinimide  
Synthesis of novel amino acid glycoside conjugates 145
- Sugar disulfide  
A simple synthesis of sugar disulfides using tetrathiomolybdate as a sulfur-transfer reagent 221
- Sulfur-transfer reagent  
A simple synthesis of sugar disulfides using tetrathiomolybdate as a sulfur-transfer reagent 221
- Symmetry  
NMR experiments for the detection of NOEs and scalar coupling constants between equivalent protons in trehalose-containing molecules 5
- Terpene diglycosides  
First total synthesis of two new diglycosides, neohancosides A and B, from *Cynanchum hancockianum* 123
- Tetrathiomolybdate  
A simple synthesis of sugar disulfides using tetrathiomolybdate as a sulfur-transfer reagent 221
- Thermodynamics  
Thermodynamics of the hydrolysis and cyclization reactions of  $\alpha$ -,  $\beta$ -, and  $\gamma$ -cyclodextrin 11
- Thioglycosides  
Synthesis of 4-cyanophenyl 2-azido-2-deoxy- and 3-azido-3-deoxy-1,5-dithio- $\beta$ -D-xylopyranosides 23
- Thiosugars  
Thiosugars II. A novel approach to thiodisaccharides. The synthesis of 3-deoxy-4-thiocellobiose from levoglucosenone 167
- Trehalose  
NMR experiments for the detection of NOEs and scalar coupling constants between equivalent protons in trehalose-containing molecules 5
- Triflate  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77
- Unsaturation  
 $\alpha$ -Hydrogen elimination in some 3- and 4-triflates of  $\alpha$ -D-glycopyranosides 77



